

# Large-scale Study of Substitutability in the Presence of Effects

Jackson Maddox  
Iowa State University  
jlmaddox@iastate.edu

Yuheng Long\*  
Google Inc.  
csgzlong@iastate.edu

Hridesh Rajan  
Iowa State University  
hridesh@iastate.edu

## ABSTRACT

A majority of modern software is constructed using languages that compute by producing side-effects such as reading/writing from/to files, throwing exceptions, acquiring locks, etc. To understand a piece of software, e.g. a class, it is important for a developer to understand its side-effects. Similarly, to replace a class with another, it is important to understand whether the replacement is a safe substitution for the former in terms of its behavior, a property known as *substitutability*, because mismatch may lead to bugs. The problem is especially severe for superclass-subclass pairs since at runtime an instance of the subclass may be used in the client code where a superclass is mentioned. Despite the importance of this property, we do not yet know whether substitutability w.r.t. effects between subclass and superclass is preserved in the wild, and if not what sorts of substitutability violations are common and what is the impact of such violations. This paper conducts a large scale study on over 20 million Java classes, in order to compare the effects of the methods of subclasses and superclasses in practice. Our comprehensive study considers the exception, synchronization, I/O, and method call effects. It reveals several interesting findings and provides useful guidance for bug detection, testing, and code smell detection tool design.

## CCS CONCEPTS

• **Software and its engineering** → **Software evolution**; *Empirical software validation*; *Maintaining software*;

## KEYWORDS

Substitutability, Side-effects, Object-oriented Software Engineering

### ACM Reference Format:

Jackson Maddox, Yuheng Long, and Hridesh Rajan. 2018. Large-scale Study of Substitutability in the Presence of Effects. In *Proceedings of ACM Joint European Software Engineering Conference and Symposium on the Foundations of Software Engineering (ESEC/FSE'18)*. ACM, New York, NY, USA, Article 4, 11 pages. [https://doi.org/10.475/123\\_4](https://doi.org/10.475/123_4)

## 1 INTRODUCTION

A huge amount of software has been written in Object-Oriented languages such as Java, C#, and C++. These languages frequently contain methods with side effects in order to perform work. Side effects can include a variety of operations such as state changes,

\*This work was done when the author was at Iowa State University.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

ESEC/FSE'18, November 2018, Lake Buena Vista, Florida USA

© 2018 Copyright held by the owner/author(s).

ACM ISBN 123-4567-24-567/08/06...\$15.00

[https://doi.org/10.475/123\\_4](https://doi.org/10.475/123_4)

throwing exceptions, acquiring a lock, and reading from a file. Inheritance is another frequently used feature, especially in Java, and is often used to organize and modularize code by subtyping a class and overriding methods.

With these two features, understanding how to safely use classes or APIs requires understanding both the methods' side effects and the side effects of any submethods that may override them. Doing this exhaustively is difficult for two reasons. First, determining a single method's side effects requires delving into the implementation of it and any other methods it may call. Secondly, inheritance hierarchies mean re-doing this process again for each overriding submethod due to polymorphism.

This process is highly simplified if we assume that the Liskov substitution principle [10, 11] holds. The principle says that a subtype should be able to replace a supertype without changing the supertype's properties such as its correctness or, as is this paper's concern, its side effects. Under this assumption we would not need to examine the submethods. This leads us to ask several questions. Is this principle being upheld in practice? If not, in what ways is the principle being violated? Are the violations problematic, and if so, how? This paper's focus is on answering these questions.

To see why violating substitutability is a problem, consider the following example.

```
1 class Services {
2   Map<Integer, Object> map;
3   synchronized void addService(int id, Object service) {
4     if (map.containsKey(id)) return;
5     map.put(id, service);
6   } }
```

From this implementation, we can infer that the `addService` method is thread-safe due to the `synchronized` keyword. It also does not throw exceptions so there is no error case to handle. We might then have a client of this class such as the one below:

```
1 Services s = App.getServicesList();
2 s.addService(0, service0);
```

The client retrieves a `Services` instance from a factory and adds a service 0. Now suppose the `App.getServicesList` method returned a subclass:

```
1 class TrackedServices extends Services {
2   @Override void addService(int id, Object service) {
3     if (id<0 || map.containsKey(id)) throw new IllegalArgumentException();
4     map.put(id, service);
5     configFile.println(id + "=" + service);
6   } }
```

Immediately we see several unexpected behavioral differences. Firstly, our client will unexpectedly crash with a `IllegalArgumentException` due to the 0th ID despite the superclass implementation accepting it. Secondly, other clients may run concurrently and require thread safety to avoid data races, which they will lose in this subclass. Finally, the subclass outputs to a configuration file that could change program-wide behavior. Clearly, this subclass both violates substitutability and causes problems for its clients.

Motivated by these problems, we aim to answer the following research questions.

- RQ1:** Can we accurately infer a subclass's effects based solely on the superclass's implementation or do the subclasses often violate substitutability?
- RQ2:** When violations occur, how do the two implementations differ and what common patterns arise throughout all violations?
- RQ3:** When violations occur, what is the impact? For example, it could be the source of a substitutability bug [17, 18] or a code smell.

This paper investigates these questions on real world Java projects hosted on GitHub. We present a comprehensive study comparing the effects of superclasses to their subclasses in these projects using the Boa infrastructure [4]. Boa allows us to examine the Java projects' ASTs to determine the side effects of a method and compare them to its super and submethods [5]. To generalize our findings, this study focuses on a broad range of effect kinds including exception, synchronization, and I/O, and method call effects.

We find that only 8-24% method pairs have the same effects, and 31-56% of submethods have *more* effects than their supermethod when considering the effect types independently. Finally, when analyzing method pairs in terms of these effects, we confirm the above: a large percentage of the effects of submethods cannot be inferred through the supermethod's implementation when at least one of them has an effect.

The rest of this paper will discuss our study's methodology, its results, and threats to validity. Finally the paper will discuss related work, future work, and conclude.

## 2 METHODOLOGY

Our substitutability study was conducted in two phases: automated analysis followed by a manual inspection. For the first we analyzed Boa's September 2015 GitHub dataset, containing 380,125 Java projects [4]. Our analysis collected effect information on each non-abstract method, made scalable by using a lightweight syntax directed effect inference based on [22]. After this process, the analysis pairs each non-private, non-static, non-constructor method with the one they override, if any, forming many *method pairs* containing a *submethod* and *supermethod*. Finally, each pair is categorized by comparing the effects of the two methods. The exact categories depend on the effect being examined. We then use the pair categorization in order to investigate the effect differences in method pairs, and later examine a few categories that suggest substitutability violations. Table 1 shows the counts of examined projects, classes, and more in the dataset.

In an effort to make our analyses more accurate, we added a few exceptions: Firstly, pairs containing abstract methods are ignored since there is no implementation to compare with. It also ignores files containing JUnit tests, identified by use of the @Test annotation, in an effort to skip mock objects used only for testing. Finally, we identified that many of the projects may have potentially duplicate class files identified by the package name plus the file name. In these cases we took the file that was either modified last or, if both were modified in the same commit, we discard both. We assume the last modified file is the latest version of it, but if the duplicates are

modified in the same commit it can indicate that they are separate, conflictingly named, parts of the program. The idea behind this is that in a given project we want to avoid counting a class twice and to be sure that a given pair is correct.

**Table 1: Summary of the data studied**

Metric	Count
# of projects	380,125
# of source files	20,302,663
# of classes	20,569,922
# of methods	149,294,833
# of method pairs	5,975,136
# of project AST nodes	6,619,264,814

The second phase consisted of studying cases randomly sampled from the analysis output in order to better understand certain categories of method pairs. We are interested in seeing if certain categories suspected of substitutability violations are, in fact, problematic. In order to do this, the analysis output was first filtered based on the desired category and then randomized. From this, we gather samples, discarding those pairs which cannot be found due to, for example, the repository having been deleted.

For each sample, we then compared the implementations of the sub and supermethods to see if the submethod's effects can be inferred from the supermethod's body. During this, we also attempt to examine transitive effects from methods calls where possible. If the effects cannot be inferred, we define a call sequence that, if executed, could trigger the effect difference. An example of such a violation would be a call sequence causing the submethod to throw an exception that the supermethod will never throw. The resulting set of substitutability violations was then examined in order to discover the most common patterns making them up.

The side effects that this study focuses on are exceptions, synchronization, I/O operations and method calls. The reason for studying method calls as an effect is twofold. First, it is an important effect kind well explored [15]. Second, our effect inference tool ignores transitive effects from method calls so that it can scale up to very large datasets. Any transitive call analysis would also be very imprecise due to both the open world assumption [19] and dynamic dispatch. The method call effect provides a well-understood technique for handling it by treating transitive calls abstractly in both the super and the subclass. For the rest of this section we detail how each of these side effects were analyzed.

In order to study exception effects, methods were assigned an exception effect if they contain a throw statement [13]. Our effect inference then attempts to find the type of each thrown exception and if successful adds it to the method's set of thrown exception types. Otherwise the exception is given a generic UNKNOWN type and added to the set, but this occurred in only 4% of method pairs with an exception effect. Exceptions that may be thrown implicitly by e.g. accessing a null object or accessing an array out of its bounds are ignored as is standard in exception analyses.

For synchronization, we differentiate methods between acquiring and releasing locks. The analysis considers the synchronized keyword (either as a modifier or block) to be both acquiring and releasing a lock. We also consider Java's Lock interface, its implementations, and the Semaphore class. In order to include the

fine-grain lock objects, the analysis examines each method call. From this it attempts to infer the type of the callee and when successful looks up the type and method in a table and assigns the appropriate effect, if any.

In methods with I/O operations, we distinguish between operations related to input and output. We consider a list of 52 Java standard I/O classes and interfaces, and assign an effect to each of these types' methods. In addition, operations on `System.out`, `System.err`, and `System.in` are added as special cases to the analysis. Similarly to synchronization, this analysis attempts to infer the type of object called and assign the appropriate effect.

Finally, for the method call effect, we consider each call expression to be a pair consisting of a category and the method name (standard in the intraprocedural phase of effect inferences [21]). These categories are `this`, `super`, and `other`. The `this` category means the callee is the object `this`, and similarly for `super` while the `other` category covers the remaining method calls. Each of these pairs are added to a set that represents the method's call effect.

### 3 RESULTS

This section describes the results of our large scale study for each of the aforementioned side effects. Table 2 shows data for all of the side effects. The table shows that while few methods have all four kinds of side effects that we study, a substantial number of methods are effect-full.

**Table 2: Effects kinds per concrete method**

Exception	Sync	I/O	Call	# Methods
X	X	X	X	47,215,362
X	X	X	✓	84,729,294
X	X	✓	✓	3,989,859
X	✓	X	X	357,272
X	✓	X	✓	2,082,889
X	✓	✓	✓	108,370
✓	X	X	X	1,752,771
✓	X	X	✓	6,372,803
✓	X	✓	✓	540,276
✓	✓	X	X	23,742
✓	✓	X	✓	333,082
✓	✓	✓	✓	28,862
<b>Total Methods</b>				147,534,582

Table 3 shows data for submethod and supermethod pairs that have at least one effect. The submethod has more effects category means the submethod has "more" effects than the supermethod in at least one side-effect kind and none where the supermethod has "more". For example a submethod reading from a file where the supermethod does not would fit this category. The data shows that for a large number of cases (53%) the submethod has more effects compared to the supermethod.

Next, we examine each side effect over all methods in the dataset, and then move onto examining pairs of sub and supermethods. For each pair, we compare the effects of the paired methods in order to see how many have substitutability violations, and verify this by examining a small subset of pairs in more detail.

**Table 3: Combined effect breakdown**

Submethod has more effects	2,680,336 (53%)
Supermethod has more effects	1,287,747 (25%)
Both have same effects	395,940 (8%)
All others	710,258 (14%)
<b>Total Pairs</b>	<b>5,074,281</b>

### 3.1 Exceptions

We begin our examination of exception effects by first looking at how many individual methods explicitly throw an exception. These results are shown in Table 4, which categorizes methods by the number of different exception types they throw. In this table, all private methods are grouped together, including private constructors and static methods. The next 2 columns denote non-private static methods and constructors respectively, and the "other" column denotes all remaining methods.

Our results show that the vast majority (94%) of methods do not explicitly throw an exception. For those that do, most will only throw a single exception type regardless of the type of method. Proportionally, private and static methods throw exceptions more often, but there are far more methods in the "other" category throwing exceptions than those two combined.

These results are so far consistent with the previously published study on purity analyses [21, 24], although our study considers a thousand times more projects and, later on, other effect kinds.

**Table 4: Number exceptions types thrown per method kind (NP means non-private, and Init means constructor)**

# Types	Private	NP Static	NP Init	Other
0	14M (91%)	12M (92%)	14M (96%)	99M (94%)
1	1.2M (8%)	961K (7%)	509K (3%)	5.6M (5%)
2	86K (1%)	92K (1%)	39K (0%)	462K (0%)
3+	14K (0%)	12K (0%)	3017 (0%)	98K (0%)
<b>Total</b>	<b>14,936,491</b>	<b>12,938,996</b>	<b>14,883,048</b>	<b>104,776,047</b>

We now turn to examine method pairs where at least one of the methods contains a throws expression. Table 5 shows our comparison of the sub and supermethods for these pairs. Each pair's methods were compared by the set of exception types each throws. The pair was then placed into one of 6 categories depending on both how the submethod's set's cardinality compared to the supermethod's and whether one was a subset of the other. In each category, *sub* refers to the set of exception types the submethod throws and *super* the set of exceptions the supermethod throws.

The pairs themselves are additionally split into an "Expected" and "Unexpected" grouping. The term "Expected" refers to pairs where the set of exceptions thrown in the submethod are covered by either the supermethod implementation, its throws clause, or both. Listing 1 provides an example of this. In this example, the submethod throws `IllegalArgumentException` and `IOException`. However, it is consistent with the supermethod because the supermethod throws `IllegalArgumentException` and the throws clause declares that it may throw `IOException`. Thus, it would be categorized as *Expected*.

```

1 class Super {
2   void m(Object x) throws IOException {
3     if (x == null) throw new IllegalArgumentException();
4   }
5 }
6 class Sub extends Super {
7   @Override void m(Object x) throws IOException {
8     if (x == null) throw new IllegalArgumentException();
9     else throw new IOException();
10  }

```

**Listing 1: Example pair where submethod's exceptions are expected**


**Table 5: Exception pair types (s=sub, p=super)**

Category	Pairs		Total
	Unexpected	Expected	
$s \subset p$	0 (0%)	350K (67%)	350K (48%)
$s \not\subset p,  s  <  p $	5,399 (3%)	643 (0%)	6,042 (1%)
$s \supset p$	163K (79%)	61K (12%)	224K (31%)
$s \not\supset p,  s  >  p $	3,203 (2%)	240 (0%)	3,443 (0%)
$s = p$	0 (0%)	103K (20%)	102K (14%)
$s \neq p,  s  =  p $	34K (17%)	7,222 (1%)	41K (6%)
<b>Total Pairs</b>	205,844	521,880	727,724

Our results indicate that 38% of submethods may be unsafe substitutes of the superclass equivalent when considering only the method implementations. When including the throws clause, this drops to 28%, which is still a large percentage of these method pairs. This finding motivates our further study to understand these cases to see whether they indicate substitutability bugs. In order to do this, we first examine what types of exceptions are most common in this situation.

**Finding 1:** One quarter (28%) of the exception pair submethods' effects cannot be inferred from the supermethod's body or throws clause. We will see similar results for the other three effects.

**Implication:** Programmers and tools should consider submethod implementations when analyzing a method's effects.



**Figure 1: Top 10 exceptions thrown when the submethod throws more types (Exception suffix omitted)**

Figure 1 shows exceptions most commonly thrown by pairs where  $|sub| > |super|$ . Notice that several of these exceptions are related to preconditions such as `IllegalArgumentException` and `IllegalStateException`. This may indicate that these submethods have stronger preconditions than their supermethod, which is problematic from the viewpoint of supertype abstraction [10].

Another top exception, `UnsupportedOperationException`, is intended for an operation a class cannot support. Submethods throwing this exception likely indicate a violation of substitutability in which a client may expect a class to support an operation that it does not due to being a subclass instance. The case study investigates these two groups in more detail.

Finally, `RuntimeException`, as the most common, is a very generic exception to throw, and may be used for a variety of different purposes. In most cases, a subclass of this exception should be thrown instead so that clients catching the exception have some idea of what the particular error is. Thus, throwing this exception likely indicates a code smell. Even when normalizing Figure 1 by project (*i.e.* each project can only count 1 towards an exception), `RuntimeException` is still the top exception type. This indicates that these kinds of pairs are not specific to a few large projects, but many.

**3.1.1 Are Exception Substitutability Violations Problematic?** To understand this, we start by examining exceptions related to preconditions whose submethods throw more types of exceptions than the supermethod. This group is further filtered so that the method pair must throw at least one of `IllegalArgumentException`, `NullPointerException`, `IllegalStateException`, or `IndexOutOfBoundsException` in addition to the array and string variants of that exception. From this set, we sample 50 method pairs that we examine for substitutability violations. In the context of exceptions, this means that we can construct a call sequence that would cause the submethod to throw an exception while the supermethod either throws a different or no exception. *We find that 80% of these cases indicate a violation.*

In general, most of the violations have at least one of 3 common patterns. The first is brittle parameters [18] either via `instanceof` (16 cases) or restricting the allowed range of values (8 cases). The supermethods generally do not have any explicit parameter restrictions in comparison, and do not throw the precondition-related exceptions the submethods throw. The second pattern consists of state-related exceptions, almost completely characterized by `IllegalStateException` being thrown, encompassing 11 cases. The general pattern for these is that the submethod checks to ensure the object state is valid while the supermethod has no such checks in place, mostly due to not having the extra state that the subclass has. For the third group (7 cases), the sub and supermethods have the same constraints, but handle it differently. For example a supermethod may just return on a null argument while the submethod instead throws `NullPointerException`.

This characterization leaves 6 remaining violations. 4 of which fit into multiple of the aforementioned patterns, and 2 that fit into none of the above. We will now examine some of the violations in more detail.

The first<sup>1</sup> pair we examine is a case of a brittle parameter (Listing 2), and is from the Java Swing library. In this example, the

<sup>1</sup>From <https://github.com/MIPS/mips-src>

superclass `InputMap` accepts any other `InputMap` or subclass of it as a parent in the `setParent` method. One may reasonably expect that, given any object of that type, we can assign the parent to be any other object of the same type. However, this assumption does not hold with a subclass. Instead, `ComponentInputMap` only accepts other instances of that subclass as parent. Clearly we cannot rely on the static type to tell us what the potential effects of `setParent` are, nor do we intuitively expect it to ever throw an exception.

```

1 class InputMap {
2     public void setParent(InputMap parentMap) {
3         parent = parentMap;
4     }
5 class ComponentInputMap extends InputMap {
6     public void setParent(InputMap parentMap) {
7         if (parentMap != null && !(parentMap instanceof
8             ComponentInputMap))
9             throw new IllegalArgumentException();
10    }

```

**Listing 2: Preconditions added by the subclass**

Our second example<sup>2</sup> is shown in Listing 3, is a case where the submethod has a state-related precondition via a switch statement. The non-constant static variables referenced in these methods are all set by the client of these classes. While the superclass may throw `IndexOutOfBoundsException` if `tag` is set incorrectly, the submethod may instead throw `IllegalStateException` if it cannot handle a certain constant object's tag. What makes this example interesting, is that clients of the superclass in the project avoid calling the submethod by using `instanceof` to check the runtime type of their `Attribute` variable. However, checking the other samples shows that this pattern does not appear, indicating that it is rare for a client to check runtime types explicitly before calling a method when it contains a substitutability violation.

```

1 abstract class Attribute {
2     public String toString() {
3         return Constants.ATTRIBUTE_NAMES[tag];
4     }
5 class ConstantValue extends Attribute {
6     public String toString() {
7         Constant c = constant_pool.getConstant(constantvalue_index);
8         switch (c.getTag()) {
9             case Constants.CONSTANT_LONG: buf = ...; break;
10            ...
11            default: throw new IllegalStateException(...);
12        }

```

**Listing 3: Different handling of the same precondition**

Our results show that only in one case do clients use reflection (via `instanceof`) to avoid an exception being thrown by a subtype method. Most clients do not handle substitutability violations explicitly by checking the object runtime type and that is an indication that violations can lead to mostly latent bugs.

We also sampled 20 method pairs where the submethod throws more exceptions than its supermethod and also throws `UnsupportedOperationException`. All 20 of these pairs violated substitutability. When examining the submethods, we find 4 patterns. For 5 examples, the exception is used to restrict changes and notify the client. This is to either make the subclass immutable, or to enforce a specific container size in one case. For another 4 examples this exception is thrown due to the submethod being more specialized

<sup>2</sup>From <https://github.com/hkff/JInterfaceHack>

and unable to support an operation as stated in either Javadoc or the exception message itself. Thirdly, in only 1 case, the submethod uses `UnsupportedOperationException` as a "to do" that was never completed. Finally, in the 9 remaining examples no explanation is given through method documentation or as an exception message, making it difficult to ascertain why the submethod is unimplemented.

**Finding 2:** Program patterns where the submethod appears to have more effects than the supermethod are often (80%) indicators of substitutability violations.

**Implication:** Code smell detection tools can accurately warn about substitutability violations from submethods that explicitly throw exceptions not found in the supermethod.

*3.1.2 Are Developers Documenting Exception Substitutability Violations?* We found that the majority of the time the answer to this question was no, though a number of cases were documented.

We examined the context in which these method pair implementations exist in order to see if developers are aware of and document substitutability violations. In 6 cases, the supermethod's Javadoc declares that the method may throw the submethod's exceptions where 2 of these supermethods include a `throws` clause for the unchecked exceptions. However, for the remaining it is impossible to infer the exception side-effect from the supermethod alone. In 5 cases the subclass Javadoc alone states either the exception (2) or at least the precondition. The Javadocs in these submethods indicate potential points of code smell where the supermethod's Javadoc simply was not updated. Finally, while Javadocs do not provide information about either the exception or preconditions in the remaining cases, 18 at least provide an exception message though 6 do not, providing no information on why the exception occurred.

Beyond looking at Javadocs and exception messages, we found evidence that some of the method pairs indicate problems, or bugs. In one case the Javadoc of both the sub and supermethods is not correct for the submethod's implementation. For example, in a repository clone<sup>3</sup> of the `JFreeChart` library, the Javadoc for `VectorRenderer.findDomainBounds` states that the null argument is permitted, and indeed it is in the supermethod. However, the submethod throws `IllegalArgumentException` if the argument is null, indicating that a mistake may have been made in the submethod's implementation. A similar situation was found in a repository<sup>4</sup> that contains a copy of the Java Swing library. Specifically the `TitledBorder.getBaseline` method whose Javadoc indicates that the submethod expects its supermethod Javadoc to say that `NullPointerException` may be thrown (via the `{@inheritDoc}`), but it does not. One other sample has a similar inconsistency between the sub and supermethod documentation.

We also found two other cases where the submethod's precondition is likely valid in the supermethod. However, the supermethod does not check that the precondition is true. For example, one repository<sup>5</sup> that is a clone of GNU Classpath, the `BandedSampleModel.getDataElement` (submethod), checks the bounds of the arguments specifying an  $(x, y)$  coordinate. However, the supermethod does not though some other methods in the superclass do bounds checking.

<sup>3</sup>From <https://github.com/JSansalone/JFreeChart/>

<sup>4</sup>From <https://github.com/andreamoruno/Mora-Ormj>

<sup>5</sup>From <https://github.com/sandeep-datta/gcc/>

### 3.2 Synchronization

Next, we examine synchronization effects, either via one of the Java standard library locks or using the synchronized keyword. Methods may have no locking effect, acquire or release a lock, or do both. No distinction is made between what object is used for the lock. This is because many classes may use multiple different lock objects to ensure more fine-grained thread-safety, so it will not necessarily provide useful information when examining these methods. However, we group these methods and pairs by how fine-grained their locks themselves are. That is, whether they use a lock object (finest), synchronized blocks (fine), or just the synchronized method modifier (coarse).

First we look at individual methods in Table 6. The columns represent the aforementioned lock grouping based on how fine grained the lock is, and the rows represent whether the method acquires, releases, or both acquires and releases a lock. Note that the "Block" column, due to how synchronized works in Java, always acquires and releases the lock. Secondly, the "Modifier" column represents both methods that use only the synchronized modifier and those who have no synchronization effects. The entries with "N/A" indicate that the entry is not applicable for the group.

The vast majority of methods with synchronization use the keyword, likely due to ease of use. Of those, they split almost evenly between using synchronized blocks and the synchronized modifier. For those using a lock object provided by the standard library, most both acquire and release locks, indicating that they might not rely on other methods to release or acquire the necessary locks. However, 15% of methods with lock objects seem to expect a different method to acquire or release a lock, indicating more complex locking scenarios.

**Table 6: Synchronization types per method**

Type	Lock	Block	Modifier
None	N/A	N/A	145M (99%)
Acquire	8,488 (8%)	N/A	N/A
Release	7,134 (7%)	N/A	N/A
Both	94K (86%)	1.4M (100%)	1.5M (1%)
<b>Total</b>	109,408	1,373,460	146,051,714

Next is to examine the method pairs with synchronization shown in Table 7. Similarly to the previous table, method pairs are grouped based on how fine-grained their locks are with the exception that "Modifier" does not include pairs without synchronization. In the table categories, a method  $m$  having "more" of an effect than the other,  $m'$ , indicates that  $m'$  has no effect and  $m$  does or  $m'$  acquires or releases a lock and  $m$  does both. The same category similarly means that the sub and supermethods have the same kind of synchronization effect, and different means one method acquires a lock while the other releases it. This last row is only applicable to locks since the synchronized keyword forces the method to both acquire and release the lock.

The different category would likely indicate a bug, but since no pair fit into this category, we cannot examine this idea further. However, a significant percentage of pairs have a supermethod with synchronization and a submethod that does not, and may indicate the presence of substitutability bugs. Consider for example,

**Table 7: Synchronization pair types**

Category	Pairs			Total
	Lock	Block	Modifier	
Super more	1,741 (51%)	33K (38%)	24K (25%)	58K (31%)
Sub more	1,366 (40%)	36K (41%)	44K (47%)	82K (44%)
Same	288 (8%)	18K (21%)	27K (28%)	45K (24%)
Different	0	N/A	N/A	0
<b>Total</b>	3,395	86,821	94,912	185,128

a supermethod that is thread-safe, but a submethod that is not. If a client expects the superclass, but gets a subclass, it may assume it is thread-safe and allow multiple threads to use the object concurrently. This could lead to race conditions or visibility bugs. Visibility bugs occur when a thread caches a value it changes without making it available to other threads, leading to stale values and potentially inconsistent object state.

*3.2.1 Are there Synchronization Substitutability Violations and what Kinds?* To understand this, we sampled 50 pairs where the supermethod has more synchronization effects than its submethod out of 58K cases. The idea behind this is that, perhaps synchronization in the subclass has been forgotten, causing a client that believes an object with the static type of the superclass to be thread-safe when it is not. Will two threads that operate safely on the superclass cause a potential race condition or state visibility bug when operating on the subclass? We assume that the two threads initially obtained a properly published instance of the object in question. We also assume the first thread knows of the subclass object, while the second thread is only aware of the superclass.

Out of the selection, 15 or 30% have a substitutability violation caused via a race condition or value visibility problem. Of these cases, 7 of them are violations that will cause visibility problems of some sort, such as the fields of the subclass getting out of sync across threads. Then in 4 cases, two threads calling the submethod can end up doing different things due to a visibility issue caused during execution of the call sequence. 3 of the violations from the aforementioned cases require one of the threads to be aware of the subclass and call subclass-specific methods. Then for 3 cases the violation leads to a race condition such as when manipulating a thread unsafe collection or other object. Finally, the last violation is due to the supermethod being synchronized but only throwing `UnsupportedOperationException` whereas the submethod is unsafe.

Let us now examine two of these substitutability violations. The first<sup>6</sup> shown in Listing 4 contains a typical supermethod that enters a synchronized block, does some work, and exits. In comparison, the submethod in question has no explicit synchronization. Instead, it calls multiple methods that are already thread-safe (e.g. `getBinding()` and `setType()`). However, after this it updates a `BindValue` structure that is stored in its superclass's state without synchronization. So if two threads both call this method on the same subclass instance, they may see different versions of the same or other `BindValues`. Whether this leads to a bug depends on what the threads do (or do not do) next. For example if thread 1 attempts to retrieve the binding thread 2 modified and thread

<sup>6</sup>From <https://github.com/yvvens47/Portfolio>

2 has not entered a lock by then, thread 1 may receive outdated information.

```

1 class PreparedStatement {
2   void setNCharacterStream(int parameterIndex, Reader reader, long
      length) {
3     synchronized(checkClosed()) { ... }
4   }
5   class JDBC4ServerPreparedStatement
6   extends ServerPreparedStatement /* extends PreparedStatement */ {
7     void setNCharacterStream(int parameterIndex, Reader reader, long
      length) {
8       ...
9     } else {
10      BindValue binding = getBinding(parameterIndex, true); //
      supposedly thread-safe call
11      setType(binding, MySQLDefs.FIELD_TYPE_BLOB); // supposedly
      thread-safe
12
13      binding.value = reader;
14      ...
15    } }

```

**Listing 4: Reference visibility race condition**

The second example<sup>7</sup> is a case of unsafe operations on collections and shown in Listing 5. In the superclass, most methods are marked as synchronized except for several setters (not shown). However, the subclass does no synchronization for its HashSet `_prefixes`. In a case where two threads have an instance of the subclass and one knows the runtime type, that thread may add to the collection and call the `addABox` method. However, if the second thread calls the method as well, it may see an inconsistent or outdated version of the collection that could cause a call that would otherwise pass the filtering to fail.

```

1 class LinkFilterDefault {
2   synchronized void addABox(Node[] nx, int i) {
3     addUri(nx, i);
4   }
5   synchronized void addUri(Node[] nx, int i) { ... }
6   class LinkFilterPrefix extends LinkFilterDefault {
7     void addPrefix(String prefix) { _prefixes.add(prefix); }
8     void addABox(Node[] nx, int i) {
9       boolean found = false;
10      for (String prefix: _prefixes) // a HashSet in subclass
11        if (nx[i].toString().startsWith(prefix)) found = true;
12        if (found) super.addUri(nx, i);
13    } }

```

**Listing 5: Unsafe operations**

Now that we have examined the violations, let us look at the cases with no synchronization violation. In 11, the submethod is either trivial (returns, empty method, throws exception) or delegates the call to the supermethod with no changes in logic. For 5 more cases, the submethod delegates calls to an object that either itself delegates calls or is thread-safe. In 7 cases, the submethod conducts only thread-safe operations on state (such as calling a thread-safe method), and while it may be possible to use them in a way that causes strange results, they do not appear to contain race conditions. Then in 8 cases the supermethod has very specific locking behavior, and alone may not be intended to be thread-safe. Finally, 1 case's safety depends on something a user would implement and 2 contain methods throwing `UnsupportedOperationException`.

**3.2.2 Do Developers Document Synchronization Substitutability Violations?** Of the violations, in two cases the thread-safe superclass

was from the AWT library and the unsafe subclass from the Swing library. Since the Swing library was built on top of the AWT library and, unlike AWT, did not attempt to be thread-safe, we consider these violations to not be bugs. Note that this decision requires outside knowledge to understand the thread-safety of the particular subclass. We similarly found that there is no documentation of the thread-safety properties of any pair of the classes we studied in their Javadocs. This suggests a problem where a client of a superclass may assume certain operations are thread-safe whereas the subclass may have different ideas. From these cases, subtle race conditions or value visibility problems could appear that might not be discovered until much later.

For the remaining pairs with violations, it is more likely that the thread-safety of the subclass was not on the implementer's mind as there is no indication of locks or explicitly thread-safe collections.

**Finding 3:** There is sparse to no documentation on class thread safety guarantees, including between a sub and supertype. It can only be inferred from general knowledge of the project or examining the implementation.

**Implication:** Tools are needed first to help document synchronization guarantees and second warn on mismatches between the sub and supermethods based on these guarantees for large concurrent programs.

### 3.3 I/O

For our I/O analysis, we categorize methods based on whether they have input, output, both, or no I/O operations. Table 8 shows how common different I/O operations are among all the methods analyzed. Similarly to exceptions and synchronization, the majority do not contain I/O operations. In this table, the methods are grouped in the same way as described in Table 4. It turns out that the number of output operations in each category is about 2.7 for private methods, 3.6 for non-private constructors, 4.3 for non-private statics, and 4.2 for the rest times the number of methods with input operations in that category.

**Table 8: I/O effects per method (NP means non-private, and Init means constructor)**

IO Type	Private	NP Static	NP Init	Other
Output	664K (4%)	878K (7%)	94K (1%)	2.0M (2%)
Input	205K (1%)	107K (1%)	21K (0%)	351K (0%)
Both	79K (1%)	124K (1%)	6,973 (0%)	201K (0%)
<b>Total</b>	14,936,491	12,938,996	14,883,048	104,776,047

In order to investigate why there were so many more write operations across all types of methods, we examined what output I/O objects were used most. This was done by, for each type, counting the number of methods that do an I/O operation on an instance of it. We also make a distinction between any I/O objects and the standard `System.out` and `System.err` objects. As Figure 2 shows, `System.out` is the most commonly used by far followed by `System.err` combined making up over 60% of output.

Now suppose we conservatively ignore that percentage of methods with output operations, (making the assumption they only used `System.out` or `System.err`). In this case, writes will still outnumber reads in all 4 cases, although only slightly for private methods.

<sup>7</sup>From <https://github.com/researchstudio-sat/ldspider4won>




Figure 2: Top 10 I/O Output Types

Now we discuss the comparison between method pairs with I/O effects displayed in Table 9. Like with synchronization, the categories for one method  $m$  having "more" I/O effects than the other (call  $m'$ ) refers to either  $m$  having an I/O effect and  $m'$  not or  $m$  having both read and write effects while  $m'$  either write or reads.

Method pairs are grouped into one of three categories in the table based on what kind of I/O objects they use. If either method uses console-related I/O such as the `Console` class or `System.out` they are placed in the "Console" category. Otherwise if either uses file-related I/O objects then they are placed in "File". Finally, the "Bus" category signifies using streams, readers, and writers, referring to how these objects may be used to move bytes from one stream to another. This last category may include pairs with file and console I/O if the streams are connected to a file or the standard output/input streams. However, this is not necessarily the case for all of these objects.

Table 9: I/O pair types

Category	Pairs			Total
	Console	File	Bus	
Sub has less	123 (0%)	20 (0%)	70K (54%)	70K (37%)
Sub has more	36K (75%)	11K (91%)	34K (26%)	82K (43%)
No difference	12K (25%)	1077 (9%)	26K (20%)	39K (21%)
Different	77 (0%)	7 (0%)	116 (0%)	200 (0%)
<b>Total</b>	<b>48,440</b>	<b>12,314</b>	<b>129,858</b>	<b>190,612</b>

**Finding 4:** The majority (75%-91%) of method pair console and file-based I/O is located in submethods.

**Implication:** Tools that infer a call's potential I/O effects will benefit from examining methods overriding the callee.

The table shows a marked difference between console and file I/O with the rest, where the first two pairs have a majority (75% - 91%) of submethods with more I/O effects. These types of pairs may indicate substitutability violations such as being able to crash the submethod but not the supermethod (or with different exceptions) due to an I/O error, or to cause unexpected output in the submethod. We investigate these types of pairs further in the I/O case study.

### 3.3.1 What kinds of I/O Substitutability Violations are present?

As before, we gather 50 samples where the submethod has more I/O effects than the supermethod of which there are 81K pairs. There are two types of substitutability violations we consider. First, can the submethod throw an exception caused by an I/O error that in the supermethod either causes a different or no exception to be thrown by the method? Alternatively, can an output difference occur (e.g. the submethod outputs debugging info where the supermethod outputs nothing)?

Overall, 37 or 74% of the selected cases has at least one of these violations. Of these, 9 are due to differing behavior from an I/O operation throwing an exception. The remaining 28 are due to output differences, 21 from directly using `System.out` or `System.err`.

For those examples in which a violation is caused by a thrown exception, all but 1 are due to a pattern of the submethod containing an implementation while the supermethod is trivial (simple return, throws an exception, or empty). In two of these cases we can cause the exception to occur by calling a shutdown or similarly named method. For the rest, the difference can be seen by providing an illegal file name or already closed stream to operate on.

The example Listing 6<sup>8</sup> is one of the I/O violations due to a thrown exception. The supermethod only closes the stream and then throws a particular exception, also indirectly outputting to `System.out` if the call to `close()` throws. However, the submethod, during its execution, outputs to the provided stream. Now when comparing the sub and supermethods in the case where the stream `os` has already been closed, we observe the following difference: The supermethod will simply output the error to `System.out`, but the submethod will throw `IOException` when it writes to the stream.

Of course, any client of these methods will need to handle both checked exceptions that the method declares. However, anyone who uses the superclass's implementation as a point of reference may be misdirected without also examining subclass implementations. The problem is exacerbated by the other examples where instead the supermethod is trivial, which could be seen as a hint to look elsewhere for the true effects of the method.

```

1 abstract class ImageParser {
2     void writeImage(BufferedImage src, OutputStream os, Map params)
3     throws ImageWriteException, IOException {
4         try { os.close(); }
5         catch (Exception e) {
6             Debug.debug(e); // outputs to System.out
7         }
8         throw new ImageWriteException(...);
9     }
10 }
11 class GifImageParser extends ImageParser {
12     void writeImage(BufferedImage src, OutputStream os, Map params)
13     throws ImageWriteException, IOException {
14         ...
15         os.write(0x47);
16         ...
17     }
18 }

```

Listing 6: I/O failure causing an exception in subclass

In many other cases the submethod would instead produce (in the supertype client's view) undesirable I/O output. An example of this is shown in Listing 7<sup>9</sup>. In this example the supermethod updates several fields with properties of its input. The submethod operates similarly, but its operations can throw an exception, in which case

<sup>8</sup>From <https://github.com/bedatadriven/appengine-export>

<sup>9</sup>From <https://github.com/jankotek/asterope-kotlin-prototype>



it catches the exception and disables some checks. However, notice that in addition to this, the submethod outputs a message via `System.err`.

A client of the supertype may not realize that unexpected output had been produced. However, the subtype's output would cause corruption in console-based application output where the console is the user interface or is used to print results. A similar situation would occur in applications who use certain logging facilities rather than writing to the console.

Similar patterns abound in the other related output violations. In 6 cases the output is due to detecting some sort of failure or announcing a warning. A more common pattern (10 cases) are cases where the console output appears to consist of debug-related statements. That is, statements that do not indicate errors nor necessarily useful information for a user. A single case contains both debugging and failure messages. Finally, the remaining 4 come from a console-based projects for which the output is neither apparent debugging or failure statements.

```

1 abstract class Sampler {
2   void setInput(Image inImage) {
3     this.inImage = inImage;
4     this.inWidth = inImage.getWidth();
5     ...
6   }
7 class Clip extends Sampler {
8   void setInput(Image in) {
9     ...
10    try { ...
11      inImgScaler = inImage.getWCS().getScaler();
12      inImgScalerInv = (Scaler) inImgScaler.inverse(); // can
13        throw
14    } catch (TransformationException e) {
15      System.err.println(...);
16      pixelCheck = false;
17      straddleCheck = false;
18    } }

```

**Listing 7: I/O output difference**

This leave 7 cases that do not use `System.out` or `System.err`, but still present output differences. In only one of these, the subclass transforms the input via another stream, but the remaining examples generally consist of straightforward string output to either a stream or writer (which doesn't throw `IOException`) object.

For those examples that turned out not to be violations, 7 are due to I/O operations that will never throw an exception. These I/O operations also either not result in actual I/O occurring or produce the same output as the supermethod when considering transitive calls. An example of this is writing to a non-subclassed `StringWriter`, which simply builds a string for its client. Then there are only 2 occurrences of `System.out` statements hidden behind a final debug flag set to false. Then 3 extend an existing Java stream class, which relies on abstract method calls to work. Finally, the last case contains what appears to be an output difference, with no apparent way to trigger it from the code provided.

**3.3.2 Are these I/O Substitutability Violations Problematic?** When we examine the 9 I/O violations caused by an exception, we note that in each of them, the exception effect can be inferred from the supermethod signature through the supermethod throws clause (in addition to the Javadoc in 2 cases). This suggests that, exceptions thrown from I/O substitutability violations are not necessarily a problem, at least in Java when using the checked exceptions such as

`IOException`. However, violations due to output differences paint a different story.

In general, the biggest problems would likely be caused by the submethod corrupting output unexpectedly. For example, 5 submethods appear to output debug or informational messages. To provide an example, an Android app<sup>10</sup> has a class `ChapterReader` whose methods use `System.out` that outputs some informational messages when certain methods are called. Interestingly the class also uses the standard Android `Log` class for other messages. Further examination shows that this class is one of two in the repository that use `System.out` while `Log` is used the rest of the time. This is an inconsistency in logging with the norm of the project, indicating that the use of `System.out` is a code smell.

In 12 cases, the subclass I/O difference appears to be intentional, either due to it being a console-based program or due to the subclass's purpose indicating the intention (e.g. `VerboseObject` vs. `Object`). 6 other cases use `System.out` or `System.err` solely for reporting problems or warnings, though it may still surprise a developer aware only of the superclass implementation.

**Finding 5:** Whether I/O substitutability violations are problematic are often situation-dependent.

**Implication:** Tools intended to warn about I/O substitutability violations should be able to take into account the method pair's context.

### 3.4 Method Calls

This section analyzes method calls as effects, starting with individual methods in Table 10. This table shows that, unlike the other effects, most (66%) methods have at least one call, and a significant number (30%) call 3 or more different methods.

**Table 10: Method calls per method (NP means non-private, and Init means constructor)**

# calls	Private	NP Static	NP Init	Other
0	2.3M (15%)	2.8M (21%)	4.8M (33%)	39M (38%)
1	2.5M (16%)	3.3M (26%)	6.4M (43%)	23M (22%)
2	2.1M (14%)	2.2M (17%)	1.5M (10%)	12M (12%)
3+	8.1M (54%)	4.7M (36%)	2.2M (15%)	30M (28%)
<b>Total</b>	14,936,491	12,938,996	14,883,048	104,776,047

Next we briefly examine pairs with method calls in Table 11. The categories seen in this table are similar to those in Table 5, but with sets of method calls rather than exception types thrown. 18% of these pairs are cases where transitive effects of submethods can be inferred from their supermethod. However, that leaves the remaining 82% of pairs in which this is not the case. This strongly indicates that, similarly to our findings for other effects, relying on the supermethod implementation is not helpful for determining effects. In general, this table shows that method calls in sub/super pairs have a wide variety of differences leaning towards the submethod calling more and different methods.

Finally, we turn to Table 12, which considers only pairs where the submethod has more effects in at least one category than the supermethod and no effects where the supermethod has more. This

<sup>10</sup>From <https://github.com/AntennaPod/AntennaPod/>

**Table 11: Method call pairs (s=sub, p=super)**

$s \subset p$	524K (10%)
$s \not\subset p,  s  <  p $	743K (15%)
$s \supset p$	1.9M (38%)
$s \not\supset p,  s  >  p $	903K (18%)
$s = p$	398K ( 8%)
$s \neq p,  s  =  p $	516K (10%)
<b>Total Pairs</b>	5,002,299

table effectively lists pairs that are likely to be substitutability violations even when method calls are taken into effect. Even under these conditions we see a large number of method pairs, backing our results in previous sections. For example, approximately 75K sync pairs qualify, which is close to Table 7's 82K pairs.

**Table 12: Pair kinds where submethod have more effects**

Exception	Sync	I/O	Call	# Pairs
X	X	X	✓	2,301,578
X	X	✓	✓	71,683
X	✓	X	X	5,302
X	✓	X	✓	54,627
X	✓	✓	✓	2,830
✓	X	X	X	18,567
✓	X	X	✓	201,071
✓	X	✓	✓	11,881
✓	✓	X	X	656
✓	✓	X	✓	11,418
✓	✓	✓	✓	723
<b>Effect Pairs</b>				2,680,336

**Finding 6:** Even considering method calls, a significant number of pairs contain submethod that has more effects. This in particular indicates violations for exception and I/O effects.

**Implication:** While transitive calls can be important, examining only a method's body is a good simplification to help find substitutability violations.

### 3.5 Threats to Validity

**3.5.1 External validity.** As in all repository mining studies, representativeness and dataset quality affect the study's validity. We noted, e.g., that a number of repositories included the Java Standard Library and Hadoop codebases. Since we use Boa's 2015 dataset, the study is also limited to Java projects with GitHub repositories. However, because the dataset contains over 380K Java projects, we believe this is not a problem. For our case study, we randomly selected examples and narrowed this selection down to specific types of cases. Because of the limited number of cases we were able to analyze, we cannot make broad generalizations. However, this case study should still bring to light some common patterns where the substitutability principle is violated.

**3.5.2 Internal validity.** In order to scale the analysis to so many projects, we only examine a method's explicit effects, which leads to transitive effects from method calls to not be considered. To mitigate this problem we included method calls themselves as an effect and combine this effect with the others. This allows us to take into

account method calls without attempting to find the correct method implementation to add the call effects to the caller. The second is that while our analysis attempts to be as precise as possible, it is unable to deal with all possible situations. This shows up in, e.g., deciding the type of an exception, and we mark the exception type as UNKNOWN which happened very rarely. We believe these strategies helps to reduce their impact.

## 4 RELATED WORK

There have been many studies on and tools introduced to help manage side effects in software. Most commonly they target exception and synchronization effects.

On the exception side, there have been many [2, 3, 8, 9, 14, 20] studies examining different ways developers handled exceptions. Many of the results are similar to ours. Kechagia *et al.* found 19% of a set of 4,900 crash traces in Android applications were avoidable if exceptions had been documented [8]. Another study [14] showed Java checked exceptions were often ignored. A third study [20] showed that about 20% of bug reports in a number of large projects are related to exceptions. On synchronization, multiple studies [7, 12, 16, 23] have each examined lock usage and/or concurrency bugs. In comparison the above works, we focus on whether substitutability is upheld and, in comparison to most, examined a larger set of projects.

To our knowledge, there have been very few studies on substitutability. Pradel *et al.* created a tool [17] to automatically test for violations by calling sequences of method pairs. This was used to show that many widely used Java classes violate substitutability in ways that, for 30% of cases, lead to crashes. Another work [1] examined *cx*, a web framework, and found many problematic violations. Gordon *et al.* introduced a tool to reason about GUI usage [6]. They found developers frequently created unsafe subtypes by overriding UI-safe methods with ones that are unsafe outside of the UI thread, and that documentation on thread safety was scarce. Our study was larger scale, considered more side effects, confirms some of these previous findings, and produced some of our own.

In summary, while previous works have looked at various side effects or developed tools to help manage them, most of them do not consider substitutability and/or are much smaller scale. In contrast, this study examines over 380K Java projects; focuses on substitutability; and includes exception, synchronization, I/O, and method call side effects.

## 5 CONCLUSION AND FUTURE WORK

This paper describes the first large-scale empirical study of how inheritance and side effects interact in real world Java projects. Our study is comprehensive and general. It is based on four different effect kinds and more than 380K projects. It reveals many interesting findings with implications for development, testing, and tools. Our results show that a large portion of method pairs that have effects violate substitutability. We have also discussed various patterns of these pairs, and their potential impacts on supertype clients.

In the future it would be interesting to extend our study into other effects such as memory read/write [22]. We could also create IDE extensions that warn developers about effect substitutability violations, or create other tools to help manage them.

## REFERENCES

- [1] Diana Allam, Hervé Grall, and Jean-Claude Royer. 2013. The Substitution Principle in an Object-Oriented Framework for Web Services: From Failure to Success. In *Proceedings of International Conference on Information Integration and Web-based Applications & Services (IIWAS '13)*. ACM, New York, NY, USA, Article 250, 10 pages. <https://doi.org/10.1145/2539150.2539192>
- [2] Muhammad Asaduzzaman, Muhammad Ahasanuzzaman, Chanchal K. Roy, and Kevin A. Schneider. 2016. How Developers Use Exception Handling in Java?. In *Proceedings of the 13th International Conference on Mining Software Repositories (MSR '16)*. ACM, New York, NY, USA, 516–519. <https://doi.org/10.1145/2901739.2903500>
- [3] Keith Ó Dúlaigh, James F. Power, and Peter J. Clarke. 2012. Measurement of Exception-handling Code: An Exploratory Study. In *Proceedings of the 5th International Workshop on Exception Handling (WEH '12)*. IEEE Press, Piscataway, NJ, USA, 55–61. <http://dl.acm.org/citation.cfm?id=2666990.2667003>
- [4] Robert Dyer, Hoan Anh Nguyen, Hridesh Rajan, and Tien N. Nguyen. 2013. Boa: A Language and Infrastructure for Analyzing Ultra-large-scale Software Repositories. In *Proceedings of the 2013 International Conference on Software Engineering (ICSE '13)*. IEEE Press, Piscataway, NJ, USA, 422–431. <http://dl.acm.org/citation.cfm?id=2486788.2486844>
- [5] Robert Dyer, Hridesh Rajan, Hoan Anh Nguyen, and Tien N. Nguyen. 2014. Mining Billions of AST Nodes to Study Actual and Potential Usage of Java Language Features. In *Proceedings of the 36th International Conference on Software Engineering (ICSE 2014)*. ACM, New York, NY, USA, 779–790. <https://doi.org/10.1145/2568225.2568295>
- [6] Colin S. Gordon, Werner Dietl, Michael D. Ernst, and Dan Grossman. 2013. JavaUI: Effects for Controlling UI Object Access. In *Proceedings of the 27th European Conference on Object-Oriented Programming (ECOOP'13)*. Springer-Verlag, Berlin, Heidelberg, 179–204. [https://doi.org/10.1007/978-3-642-39038-8\\_8](https://doi.org/10.1007/978-3-642-39038-8_8)
- [7] Rui Gu, Guoliang Jin, Linhai Song, Linjie Zhu, and Shan Lu. 2015. What Change History Tells Us About Thread Synchronization. In *Joint Meeting on Foundations of Software Engineering (ESEC/FSE 2015)*. ACM, New York, NY, USA, 426–438. <https://doi.org/10.1145/2786805.2786815>
- [8] Maria Kechagia and Diomidis Spinellis. 2014. Undocumented and Unchecked: Exceptions That Spell Trouble. In *Proceedings of the 11th Working Conference on Mining Software Repositories (MSR 2014)*. ACM, New York, NY, USA, 312–315. <https://doi.org/10.1145/2597073.2597089>
- [9] Mary Beth Kery, Claire Le Goues, and Brad A. Myers. 2016. Examining Programmer Practices for Locally Handling Exceptions. In *Proceedings of the 13th International Conference on Mining Software Repositories (MSR '16)*. ACM, New York, NY, USA, 484–487. <https://doi.org/10.1145/2901739.2903497>
- [10] Gary T. Leavens and William E. Weihl. 1995. Specification and Verification of Object-oriented Programs Using Supertype Abstraction. *Acta Informatica* 32, 8 (August 1995), 705–778. <https://doi.org/10.1007/BF01178658>
- [11] Barbara H. Liskov and Jeannette M. Wing. 1994. A Behavioral Notion of Subtyping. *ACM Trans. Program. Lang. Syst.* 16, 6 (November 1994), 1811–1841. <https://doi.org/10.1145/197320.197383>
- [12] Shan Lu, Soyeon Park, Eunsoo Seo, and Yuanyuan Zhou. 2008. Learning from Mistakes: A Comprehensive Study on Real World Concurrency Bug Characteristics. In *Proceedings of the 13th International Conference on Architectural Support for Programming Languages and Operating Systems (ASPLOS XIII)*. ACM, New York, NY, USA, 329–339. <https://doi.org/10.1145/1346281.1346323>
- [13] Daniel Marino and Todd Millstein. 2009. A Generic Type-and-effect System. In *Proceedings of the 4th International Workshop on Types in Language Design and Implementation (TLDI '09)*. ACM, New York, NY, USA, 39–50. <https://doi.org/10.1145/1481861.1481868>
- [14] Suman Nakshatri, Maithri Hegde, and Sahithi Thandra. 2016. Analysis of Exception Handling Patterns in Java Projects: An Empirical Study. In *Proceedings of the 13th International Conference on Mining Software Repositories (MSR '16)*. ACM, New York, NY, USA, 500–503. <https://doi.org/10.1145/2901739.2903499>
- [15] Flemming Nielson and Hanne Riis Nielson. 1999. Type and Effect Systems. In *Correct System Design, Recent Insight and Advances, (to Hans Langmaack on the Occasion of His Retirement from His Professorship at the University of Kiel)*. Springer-Verlag, London, UK, UK, 114–136. <http://dl.acm.org/citation.cfm?id=646005.673740>
- [16] Gustavo Pinto, Wesley Torres, Benito Fernandes, Fernando Castor, and Roberto S.M. Barros. 2015. A Large-scale Study on the Usage of Java's Concurrent Programming Constructs. *Journal of Systems and Software* 106, C (August 2015), 59–81. <https://doi.org/10.1016/j.jss.2015.04.064>
- [17] Michael Pradel and Thomas R. Gross. 2013. Automatic Testing of Sequential and Concurrent Substitutability. In *Proceedings of the 2013 International Conference on Software Engineering (ICSE '13)*. IEEE Press, Piscataway, NJ, USA, 282–291. <https://doi.org/10.1109/ICSE.2013.6606574>
- [18] Michael Pradel, Severin Heiniger, and Thomas R. Gross. 2012. Static Detection of Brittle Parameter Typing. In *Proceedings of the 2012 International Symposium on Software Testing and Analysis (ISSTA 2012)*. ACM, New York, NY, USA, 265–275. <https://doi.org/10.1145/2338965.2336785>
- [19] R. Reiter. 1987. Readings in Nonmonotonic Reasoning. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, Chapter On Closed World Data Bases, 300–310. <http://dl.acm.org/citation.cfm?id=42641.42663>
- [20] Demóstenes Sena, Roberta Coelho, Uirá Kulesza, and Rodrigo Bonifácio. 2016. Understanding the Exception Handling Strategies of Java Libraries: An Empirical Study. In *Proceedings of the 13th International Conference on Mining Software Repositories (MSR '16)*. ACM, New York, NY, USA, 212–222. <https://doi.org/10.1145/2901739.2901757>
- [21] Alexandru Sălcianu and Martin Rinard. 2005. Purity and Side Effect Analysis for Java Programs. In *Proceedings of the 6th International Conference on Verification, Model Checking, and Abstract Interpretation (VMCAI'05)*. Springer-Verlag, Berlin, Heidelberg, 199–215. [https://doi.org/10.1007/978-3-540-30579-8\\_14](https://doi.org/10.1007/978-3-540-30579-8_14)
- [22] Jean-Pierre Talpin and Pierre Jouvelot. 1994. The Type and Effect Discipline. *Inf. Comput.* 111, 2 (June 1994), 245–296. <https://doi.org/10.1006/inco.1994.1046>
- [23] Rui Xin, Zhengwei Qi, Shiqiu Huang, Chengcheng Xiang, Yudi Zheng, Yin Wang, and Haibing Guan. 2013. An Automation-Assisted Empirical Study on Lock Usage for Concurrent Programs. In *Proceedings of the 2013 IEEE International Conference on Software Maintenance (ICSM '13)*. IEEE Computer Society, Washington, DC, USA, 100–109. <https://doi.org/10.1109/ICSM.2013.21>
- [24] Haiying Xu, Christopher J. F. Pickett, and Clark Verbrugge. 2007. Dynamic Purity Analysis for Java Programs. In *Proceedings of the 7th ACM SIGPLAN-SIGSOFT Workshop on Program Analysis for Software Tools and Engineering (PASTE '07)*. ACM, New York, NY, USA, 75–82. <https://doi.org/10.1145/1251535.1251548>